<u>ConnectionManager:1</u> Service Annex A – Control Point Requirements

For UPnP Version 1.0 Status: Standardized DCP Annex Date: October 6, 2010 Service Template Version: 2.00

This Standardized DCP Service Annex has been adopted as a Standardized DCP Annex by the Steering Committee of the UPnP Forum, pursuant to Section 2.1(c)(ii) of the UPnP Forum Membership Agreement. UPnP Forum Members have rights and licenses defined by Section 3 of the UPnP Forum Membership Agreement to use and reproduce the Standardized DCP Annex in UPnP Compliant Devices. All such use is subject to all of the provisions of the UPnP Forum Membership Agreement.

THE UPNP FORUM TAKES NO POSITION AS TO WHETHER ANY INTELLECTUAL PROPERTY RIGHTS EXIST IN THE STANDARDIZED DCPS. THE STANDARDIZED DCPS ARE PROVIDED "AS IS" AND "WITH ALL FAULTS". THE UPNP FORUM MAKES NO WARRANTIES, EXPRESS, IMPLIED, STATUTORY, OR OTHERWISE WITH RESPECT TO THE STANDARDIZED DCPS, INCLUDING BUT NOT LIMITED TO ALL IMPLIED WARRANTIES OF MERCHANTABILITY, NON-INFRINGEMENT AND FITNESS FOR A PARTICULAR PURPOSE, OF REASONABLE CARE OR WORKMANLIKE EFFORT, OR RESULTS OR OF LACK OF NEGLIGENCE.

Authors	Company
Rajendra Bopardikar	Intel
Suman Sharma	Intel
Keith Miller	Nokia
Jeffrey Kang	Philips
Wouter van der Beek	Philips
Russell Berkoff	Samsung
Richard Bardini	Sony

© 2010 UPnP Forum. All rights reserved.

The UPnP Forum in no way guarantees the accuracy or completeness of this author list and in no way implies any rights for or support from those members listed. This list is not the specifications' contributor list that is kept on the UPnP Forum's website.

Contents

Contents	2	
List of Tables		
Annex A.	Control Point Requirements (Normative)4	

List of Tables

Annex A. Control Point Requirements (Normative)

This Annex lists the actions that a Control Point implementation that seeks certification as a UPnP Certified <u>ConnectionManager: 1</u> Control Point must be capable of invoking.

The following table amends Table 3 Actions to add Control Point requirements, and hence supersedes Table 3 Actions.

Table A-1: Actions for ConnectionManager:1 Service

Name	R/O ¹	Control Point R/O ²
<u>GetProtocolInfo()</u>	<u>R</u>	<u>R³</u>
<u>PrepareForConnection()</u>	<u>0</u>	<u>0</u>
<u>ConnectionComplete()</u>	<u>0</u>	<u>0</u>
<u>GetCurrentConnectionIDs()</u>	<u>R</u>	<u>0</u>
<u>GetCurrentConnectionInfo()</u>	<u>R</u>	<u>0</u>
Non-standard actions implemented by a UPnP vendor go here	<u>X</u>	X

¹ For a device this column indicates whether the action MUST be implemented or not, where \underline{R} = REQUIRED, \underline{O} = OPTIONAL, \underline{CR} = CONDITIONALLY REQUIRED, \underline{CO} = CONDITIONALLY OPTIONAL, \underline{X} = Non-standard, add \underline{D} when deprecated (e.g., <u>*R*-D</u>, <u>*O*-D</u>).

² For a control point this column indicates whether a control point MUST be capable of invoking this action, where \underline{R} = REQUIRED, \underline{O} = OPTIONAL, \underline{CR} = CONDITIONALLY REQUIRED, \underline{CO} = CONDITIONALLY OPTIONAL, \underline{X} = Non-standard, add \underline{D} when deprecated (e.g., <u>*R*-D</u>, <u>*O*-D</u>).

³ Only REQUIRED when control point is part of a 3-box scenario.